


Matter and Molecules

In the old days

- Early humans had to tell the difference between materials that were good for making clothes, shaping into tools, or good to eat
- We developed language and words to describe these things, such as “fur,” “rock,” or “cow.”
- People at the time did not have our current understanding of the substances that made up those objects.

Empedocles




- A Greek philosopher who lived in Sicily around 450 b.c., proposed one of the first theories that attempted to describe the things around us.
- Empedocles argued that all matter was composed of four elements: fire, air, water, and earth.

A Problem of Division


Empedocles's theory was quite popular but it had a number of problems.

No matter how many times you cut a cow in half, the pieces never resemble any of the core elements of fire, air, water, or earth.



- Despite being wrong Empedocles's theory was an important development in scientific thinking because it was among the first to suggest that some substances that looked like pure materials, like stone, were actually made up of a combination of different "elements."

Then along came Democritus who developed a new theory on matter.



One Material, Indivisible

- Democritus reasoned that if you cut a stone into smaller and smaller pieces, at some point you would reach a piece so tiny that it could no longer be divided.
- Democritus called these infinitesimally small pieces of matter *atomos*, meaning "indivisible." He suggested that *atomos* were eternal and could not be destroyed.

Elements

- Elements: are the building blocks of the universe.
- They are pure substances that form the basis of all of the materials around us.
- There are approximately 116 elements. Which are organized using the periodic table.
- The elements most frequently found in biological systems are carbon, oxygen, hydrogen, nitrogen, phosphorus, and sulfur.

Periodic Table of the Elements

Main-group elements: 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A

Metals (Yellow), Nonmetals (Purple), Noble gases (Grey)

| | | | | | | | | | | | | | | | | | | | | | | |
|---------|---------|---------|---------|---------------------|---------|---------|---------|--------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|--------|----|
| 1 | 1A | 1 | 2 | Transition elements | | | | | | | | | | 13 | 14 | 15 | 16 | 17 | 18 | | | |
| 1 | H | He | | | | | | | | | | | B | C | N | O | F | Ne | | | | |
| 1.00794 | | 4.00260 | | | | | | | | | | | 10.811 | 12.011 | 14.0067 | 15.9994 | 18.9984 | 20.1797 | | | | |
| 2 | 3 | 4 | | | | | | | | | | | 5 | 6 | 7 | 8 | 9 | 10 | | | | |
| | Li | Be | | | | | | | | | | | Al | Si | P | S | Cl | Ar | | | | |
| | 6.941 | 9.01218 | | | | | | | | | | | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 | | | | |
| 3 | 11 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | 13 | 14 | 15 | 16 | 17 | 18 |
| | Na | Mg | 3B | 4B | 5B | 6B | 7B | 8B | 8B | 8B | 1B | 2B | Al | Si | P | S | Cl | Ar | Ar | Ar | Ar | |
| | 22.9898 | 24.3050 | | | | | | | | | | | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 | 39.948 | 39.948 | 39.948 | |
| 4 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 36 | 36 | 36 | |
| | K | Ca | Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr | Kr | Kr | Kr | |
| | 39.0983 | 40.078 | 44.9559 | 47.88 | 50.9415 | 51.9961 | 54.9381 | 55.847 | 58.9332 | 58.693 | 63.546 | 65.39 | 69.723 | 72.61 | 74.9216 | 78.96 | 79.904 | 83.80 | 83.80 | 83.80 | 83.80 | |
| 5 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 54 | 54 | 54 | |
| | Rb | Sr | Y | Zr | Nb | Mo | Tc | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | I | Xe | Xe | Xe | Xe | |
| | 85.4678 | 87.62 | 88.9059 | 91.224 | 92.9064 | 95.94 | (98) | 101.07 | 102.906 | 106.42 | 107.868 | 112.411 | 114.818 | 118.710 | 121.76 | 127.60 | 126.904 | 131.29 | 131.29 | 131.29 | 131.29 | |
| 6 | 55 | 56 | 57 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 86 | 86 | 86 | |
| | Cs | Ba | *La | Hf | Ta | W | Re | Os | Ir | Pt | Au | Hg | Tl | Pb | Bi | Po | At | Rn | Rn | Rn | Rn | |
| | 132.905 | 137.327 | 138.906 | 178.49 | 180.948 | 183.84 | 186.207 | 190.23 | 192.22 | 195.08 | 196.967 | 200.59 | 204.383 | 207.2 | 208.980 | (209) | (210) | (222) | (222) | (222) | (222) | |
| 7 | 87 | 88 | 89 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | |
| | Fr | Ra | †Ac | Rf | Db | Sg | Bh | Hs | Mt | Ds | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| | (223) | 226.025 | 227.028 | (261) | (262) | (263) | (262) | (265) | (266) | (281) | (272) | (285) | (289) | (289) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | |

| | | | | | | | | | | | | | | |
|--------------------|---------|---------|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
| *Lanthanide series | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
| | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Ho | Er | Tm | Yb | Lu |
| | 140.115 | 140.908 | 144.24 | (145) | 150.36 | 151.965 | 157.25 | 158.925 | 162.50 | 164.930 | 167.26 | 168.934 | 173.04 | 174.967 |
| †Actinide series | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| | 232.038 | 231.036 | 238.029 | 237.048 | (244) | (243) | (247) | (247) | (251) | (252) | (257) | (258) | (259) | (260) |

** Not yet named

Notes: (1) Values in parentheses are the mass numbers of the most common or most stable isotopes of radioactive elements. (2) Some elements adjacent to the stair-step line between the metals and nonmetals have a metallic appearance but some nonmetallic properties. These elements are often called metalloids or semimetals. There is no general agreement on just which elements are so designated. Almost every list includes Si, Ge, As, Sb, and Te. Some also include B, At, and/or Po.


Elements Have Physical Properties

- Like a certain bearded biology teacher, different chemical substances can be identified by their physical traits
- Matter can exist in different states
 - Liquid
 - Solid
 - Gas
- All matter, regardless of its physical state, is made up of the same building blocks called....

Elements are Made of Atoms

- The single smallest unit of an element that retains all of the chemical and physical properties of its parent element is called an atom.

Atoms are made up of smaller, subatomic pieces called protons, neutrons and electrons




Helium

Atoms are composed of three types of subatomic particles

1. Electrons: have a **negative** charge and are the smallest part of an atom
2. Protons: have a **positive** charge
3. Neutrons: have no charge

Protons and neutrons clump to make the nucleus

The electrons surround the nucleus and form the much larger electron cloud.



Periodic Table of the Elements

Main-group elements

1
1A

2
2A

Metals

Nonmetals

Noble gases

Main-group elements

13
3A

14
4A

15
5A

16
6A

17
7A

18
8A

| | | | | | | | | | | | | | | | | | | | |
|--------|---------|---------|---------|--------|---------|---------|---------|--------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| Period | 1 | 1 | | | | | | | | | | | 13 | 14 | 15 | 16 | 17 | 18 | |
| | | H | | | | | | | | | | | B | C | N | O | F | He | |
| | | 1.00794 | | | | | | | | | | | 10.811 | 12.011 | 14.0067 | 15.9994 | 18.9984 | 4.00260 | |
| | 2 | 3 | 4 | | | | | | | | | | | 5 | 6 | 7 | 8 | 9 | 10 |
| | | Li | Be | | | | | | | | | | | Al | Si | P | S | Cl | Ar |
| | | 6.941 | 9.01218 | | | | | | | | | | | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 |
| | | 11 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | | | | | | |
| | Na | Mg | 3B | 4B | 5B | 6B | 7B | 8B | 9B | 10B | 11B | 12B | | | | | | | |
| | 22.9898 | 24.3050 | | | | | | | | | | | | | | | | | |
| | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | |
| | K | Ca | Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr | |
| | 39.0983 | 40.078 | 44.9559 | 47.88 | 50.9415 | 51.9961 | 54.9381 | 55.847 | 58.9332 | 58.693 | 63.546 | 65.39 | 69.723 | 72.61 | 74.9216 | 78.96 | 79.904 | 83.80 | |
| | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | |
| | Rb | Sr | Y | Zr | Nb | Mo | Tc | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | I | Xe | |
| | 85.4678 | 87.62 | 88.9059 | 91.224 | 92.9064 | 95.94 | (98) | 101.07 | 102.906 | 106.42 | 107.868 | 112.411 | 114.818 | 118.710 | 121.76 | 127.60 | 126.904 | 131.29 | |
| | 55 | 56 | 57 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | |
| | Cs | Ba | *La | Hf | Ta | W | Re | Os | Ir | Pt | Au | Hg | Tl | Pb | Bi | Po | At | Rn | |
| | 132.905 | 137.327 | 138.906 | 178.49 | 180.948 | 183.84 | 186.207 | 190.23 | 192.22 | 195.08 | 196.967 | 200.59 | 204.383 | 207.2 | 208.980 | (209) | (210) | (222) | |
| | 87 | 88 | 89 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | | | | | | | |
| | Fr | Ra | †Ac | Rf | Db | Sg | Bh | Hs | Mt | Ds | ** | ** | | | | | | | |
| | (223) | 226.025 | 227.028 | (261) | (262) | (263) | (262) | (265) | (266) | (281) | (272) | (285) | | | | | | | |

| | | | | | | | | | | | | | | |
|--------------------|---------|---------|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
| *Lanthanide series | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
| | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Ho | Er | Tm | Yb | Lu |
| | 140.115 | 140.908 | 144.24 | (145) | 150.36 | 151.965 | 157.25 | 158.925 | 162.50 | 164.930 | 167.26 | 168.934 | 173.04 | 174.967 |
| †Actinide series | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| | 232.038 | 231.036 | 238.029 | 237.048 | (244) | (243) | (247) | (247) | (251) | (252) | (257) | (258) | (259) | (260) |

** Not yet named

Notes: (1) Values in parentheses are the mass numbers of the most common or most stable isotopes of radioactive elements. (2) Some elements adjacent to the stair-step line between the metals and nonmetals have a metallic appearance but some nonmetallic properties. These elements are often called metalloids or semimetals. There is no general agreement on just which elements are so designated. Almost every list includes Si, Ge, As, Sb, and Te. Some also include B, At, and/or Po.

The periodic table of the elements is used to display the known chemical elements. The invention of the table is given to Russian chemist Dmitri Mendeleev in 1869. Mendeleev intended the table to illustrate recurring ("periodic") trends in the properties of the elements.

The periodic table provides an extremely useful tool for comparing all the many different forms of chemical behavior. The current standard table contains 117 confirmed elements as of October 16, 2006 (while element 118 has been synthesized, element 117 has not).

Periodic Table of the Elements

Main-group elements: 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A

Transition elements: 3B, 4B, 5B, 6B, 7B, 8B, 9B, 10B, 11B, 12B

Metals (Yellow), Nonmetals (Purple), Noble gases (Grey)

| | | | | | | | | | | | | | | | | | | |
|---|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|---------|---------|---------|---------|---------|--------|---------|--------|
| 1 | 1A | 2 | 3A | 4A | 5A | 6A | 7A | 8A | | | | | | | | | | |
| 1 | 1 | 2 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | | | | | | |
| | H | He | B | C | N | O | F | Ne | | | | | | | | | | |
| 1 | 1.00794 | 4.00260 | 10.811 | 12.011 | 14.0067 | 15.9994 | 18.9984 | 20.1797 | | | | | | | | | | |
| 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | | | | | |
| | Li | Be | B | C | N | O | F | Ne | | | | | | | | | | |
| 2 | 6.941 | 9.01218 | 10.811 | 12.011 | 14.0067 | 15.9994 | 18.9984 | 20.1797 | | | | | | | | | | |
| 3 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | | | | | | |
| | Na | Mg | Al | Si | P | S | Cl | Ar | | | | | | | | | | |
| 3 | 22.9898 | 24.3050 | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 | | | | | | | | | | |
| 4 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 |
| | K | Ca | Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr |
| 4 | 39.0983 | 40.078 | 44.9559 | 47.88 | 50.9415 | 51.9961 | 54.9381 | 55.847 | 58.9332 | 58.693 | 63.546 | 65.39 | 69.723 | 72.61 | 74.9216 | 78.96 | 79.904 | 83.80 |
| 5 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 |
| | Rb | Sr | Y | Zr | Nb | Mo | Tc | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | I | Xe |
| 5 | 85.4678 | 87.62 | 88.9059 | 91.224 | 92.9064 | 95.94 | (98) | 101.07 | 102.906 | 106.42 | 107.868 | 112.411 | 114.818 | 118.710 | 121.76 | 127.60 | 126.904 | 131.29 |
| 6 | 55 | 56 | 57 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 |
| | Cs | Ba | *La | Hf | Ta | W | Re | Os | Ir | Pt | Au | Hg | Tl | Pb | Bi | Po | At | Rn |
| 6 | 132.905 | 137.327 | 138.906 | 178.49 | 180.948 | 183.84 | 186.207 | 190.23 | 192.22 | 195.08 | 196.967 | 200.59 | 204.383 | 207.2 | 208.980 | (209) | (210) | (222) |
| 7 | 87 | 88 | 89 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 116 | 118 | 120 | 122 | 124 |
| | Fr | Ra | †Ac | Rf | Db | Sg | Bh | Hs | Mt | Ds | † | † | † | † | † | † | † | † |
| 7 | (223) | 226.025 | 227.028 | (261) | (262) | (263) | (262) | (265) | (266) | (281) | (272) | (285) | (289) | (292) | (292) | (292) | (292) | (292) |


| | | | | | | | | | | | | | | |
|--------------------|---------|---------|---------|---------|--------|---------|--------|---------|--------|---------|--------|---------|--------|---------|
| *Lanthanide series | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 |
| | Ce | Pr | Nd | Pm | Sm | Eu | Gd | Tb | Dy | Ho | Er | Tm | Yb | Lu |
| | 140.115 | 140.908 | 144.24 | (145) | 150.36 | 151.965 | 157.25 | 158.925 | 162.50 | 164.930 | 167.26 | 168.934 | 173.04 | 174.967 |
| †Actinide series | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 | 101 | 102 | 103 |
| | Th | Pa | U | Np | Pu | Am | Cm | Bk | Cf | Es | Fm | Md | No | Lr |
| | 232.038 | 231.036 | 238.029 | 237.048 | (244) | (243) | (247) | (247) | (251) | (252) | (257) | (258) | (259) | (260) |

** Not yet named

Notes: (1) Values in parentheses are the mass numbers of the most common or most stable isotopes of radioactive elements. (2) Some elements adjacent to the stair-step line between the metals and nonmetals have a metallic appearance but some nonmetallic properties. These elements are often called metalloids or semimetals. There is no general agreement on just which elements are so designated. Almost every list includes Si, Ge, As, Sb, and Te. Some also include B, At, and/or Po.

Atomic Number

- Atoms differ in the number of each of the subatomic particles they contain.
- The number of protons in an atom (called the atomic number) determines the element of the atom.



Groups and periods

- A group is a vertical column in the periodic table of the elements.
- Groups are considered the most important method of classifying the elements. In some groups, the elements have very similar properties and exhibit a clear trend in properties down the group
- A period is a horizontal row in the table

Electron Configuration


An element's ability to form bonds is determined by its valence shell electrons.

Since the outermost electrons determine chemical properties, those with the same number of valence electrons are grouped together on the periodic table.

| Shell | Electrons |
|-------|-----------|
| 1 | 2 |
| 2 | 8 |
| 3 | 8 |
| 4 | 18 |
| 5 | 18 |
| 6 | 32 |
| 7 | 32 |

Carbon is in group 4 (column 4) which means that it has 4 outer electrons.

It has an atomic number of 6 which means it has 6 protons.



Progressing through a group from lightest element to heaviest element, the outer-shell electrons (those most readily accessible for participation in chemical reactions) are all in the same type of orbital, with a similar shape, but with increasingly higher energy and average distance from the nucleus.

For instance, the outer-shell (or "valence") electrons of the first group, headed by hydrogen, all have one electron in an s orbital.

In hydrogen, that s orbital is in the lowest possible energy state of any atom, the first-shell orbital (and represented by hydrogen's position in the first period of the table).

In francium, the heaviest element of the group, the outer-shell electron is in the seventh-shell orbital, significantly further out on average from the nucleus than those electrons filling all the shells below it in energy.

As another example, both carbon and lead have four electrons in their outer shell orbitals.

The Octet Rule

The octet rule is a simple chemical rule of thumb that states that atoms tend to combine in such a way that they each have eight electrons in their valence shells, giving them the same electronic configuration as a noble gas.

The rule is applicable to the main-group elements, especially carbon, nitrogen, oxygen, and the halogens, but also to metals such as sodium or magnesium. In simple terms, molecules or ions tend to be most stable when the outermost electron shells of their constituent atoms contain eight electrons.

A consequence of the octet rule is that atoms generally react by gaining, losing, or sharing electrons in order to achieve a complete octet of valence electrons. Reaction of atoms occurs primarily in two ways: ionically and covalently.

Exceptions to the Octet Rule


The duet rule of the first shell - the noble gas helium has two electrons in its outer shell, which is very stable.

Since shell 1 can only have at most 2 valence electrons.

Hydrogen only needs one additional electron to attain this stable configuration, while lithium needs to lose one.

Chemical Bonds

- The number of electrons in an atom's outermost shell (the valence shell) governs its bonding behavior.



Barium

| | | | |
|---|----------------------------|--|----------------------------|
| | 1 1A | | 2 2A |
| 1 | 1 H 1.00794 | | |
| 2 | 3 Li 6.941 | | 4 Be 9.01218 |
| 3 | 11 Na 22.9898 | | 12 Mg 24.3050 |
| 4 | 19 K 39.0983 | | 20 Ca 40.078 |
| 5 | 37 Rb 85.4678 | | 38 Sr 87.62 |
| 6 | 55 Cs 132.905 | | 56 Ba 137.327 |
| 7 | 87 Fr (223) | | 88 Ra 226.025 |

Elements with the same number of valence electrons are grouped together in the columns of the periodic table

Atoms are most stable with a full valence shell.

| | | | |
|---|---------------------|--|---------------------|
| | 1 1A | | 2 2A |
| 1 | 1 H 1.00794 | | |
| 2 | 3 Li 6.941 | | 4 Be 9.01218 |
| 3 | 11 Na 22.9898 | | 12 Mg 24.3050 |
| 4 | 19 K 39.0983 | | 20 Ca 40.078 |
| 5 | 37 Rb 85.4678 | | 38 Sr 87.62 |
| 6 | 55 Cs 132.905 | | 56 Ba 137.327 |
| 7 | 87 Fr (223) | | 88 Ra 226.025 |

Elements with full outer orbitals are stable and are therefore nonreactive.

These full elements are called the noble gasses


| |
|---------------------|
| 18 8A |
| 2 He 4.00260 |
| 10 Ne 20.1797 |
| 18 Ar 39.948 |
| 36 Kr 83.80 |
| 54 Xe 131.29 |
| 86 Rn (222) |

Bonds are Strong

- The formation of a bond causes a strong attraction between two atoms, creating molecules or ionic compounds.
 - Atoms may fill their valence shells by chemical bonding. This can be achieved one of two ways:
 - An atom can share electrons with other atoms to form a **covalent bond**
- or
- An atom can remove electrons from other atoms to create an **ionic bond**.

Ionic Bonds (Salts)

- The **IONIC BOND** results as a balance between the force of attraction between opposite plus and minus charges of the ions
- The formation of an **IONIC BOND** is the result of the transfer of one or more electrons from a metal onto a non-metal.
- Most common ionic compound in your kitchen is NaCl (table salt)



C. Ophardt, c. 200

Periodic Table of the Elements

Main-group elements Main-group elements

Metals Nonmetals Noble gases

| | | | | | | | | | | | | | | | | | | | |
|---|---------------------|---------------------|---------------------|--------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------------|
| | 1 1A | 2 2A | Transition elements | | | | | | | | | | 13 3A | 14 4A | 15 5A | 16 6A | 17 7A | 18 8A | |
| 1 | 1 H 1.00794 | | | | | | | | | | | | | | | | | | 2 He 4.00260 |
| 2 | 3 Li 6.941 | 4 Be 9.01218 | | | | | | | | | | | 5 B 10.811 | 6 C 12.011 | 7 N 14.0067 | 8 O 15.9994 | 9 F 18.9984 | 10 Ne 20.1797 | |
| 3 | 11 Na 22.9898 | 12 Mg 24.3050 | 3B | 4B | 5B | 6B | 7B | 8 | 9 | 10 | 11B | 12B | 13 Al 26.9815 | 14 Si 28.0855 | 15 P 30.9738 | 16 S 32.066 | 17 Cl 35.4527 | 18 Ar 39.948 | |
| 4 | 19 K 39.0983 | 20 Ca 40.078 | 21 Sc 44.9559 | 22 Ti 47.88 | 23 V 50.9415 | 24 Cr 51.9961 | 25 Mn 54.9381 | 26 Fe 55.847 | 27 Co 58.9332 | 28 Ni 58.693 | 29 Cu 63.546 | 30 Zn 65.39 | 31 Ga 69.723 | 32 Ge 72.61 | 33 As 74.9216 | 34 Se 78.96 | 35 Br 79.904 | 36 Kr 83.80 | |
| 5 | 37 Rb 85.4678 | 38 Sr 87.62 | 39 Y 88.9059 | 40 Zr 91.224 | 41 Nb 92.9064 | 42 Mo 95.94 | 43 Tc (98) | 44 Ru 101.07 | 45 Rh 102.906 | 46 Pd 106.42 | 47 Ag 107.868 | 48 Cd 112.411 | 49 In 114.818 | 50 Sn 118.710 | 51 Sb 121.76 | 52 Te 127.60 | 53 I 126.904 | 54 Xe 131.29 | |
| 6 | 55 Cs 132.905 | 56 Ba 137.327 | *La 138.906 | 72 Hf 178.49 | 73 Ta 180.948 | 74 W 183.84 | 75 Re 186.207 | 76 Os 190.23 | 77 Ir 192.22 | 78 Pt 195.08 | 79 Au 196.967 | 80 Hg 200.59 | 81 Tl 204.383 | 82 Pb 207.2 | 83 Bi 208.980 | 84 Po (209) | 85 At (210) | 86 Rn (222) | |
| 7 | 87 Fr (223) | 88 Ra 226.025 | †Ac 227.028 | 104 Rf (261) | 105 Db (262) | 106 Sg (263) | 107 Bh (262) | 108 Hs (265) | 109 Mt (266) | 110 Ds (281) | 111 Nh (272) | 112 Fl (285) | 114 Lv (289) | 116 Ts (292) | | | | | |
| | | | *Lanthanide series | | 58 Ce 140.115 | 59 Pr 140.908 | 60 Nd 144.24 | 61 Pm (145) | 62 Sm 150.36 | 63 Eu 151.965 | 64 Gd 157.25 | 65 Tb 158.925 | 66 Dy 162.50 | 67 Ho 164.930 | 68 Er 167.26 | 69 Tm 168.934 | 70 Yb 173.04 | 71 Lu 174.967 | |
| | | | †Actinide series | | 90 Th 232.038 | 91 Pa 231.036 | 92 U 238.029 | 93 Np 237.048 | 94 Pu (244) | 95 Am (243) | 96 Cm (247) | 97 Bk (247) | 98 Cf (251) | 99 Es (252) | 100 Fm (257) | 101 Md (258) | 102 No (259) | 103 Lr (260) | |

** Not yet named


Notes: (1) Values in parentheses are the mass numbers of the most common or most stable isotopes of radioactive elements. (2) Some elements adjacent to the stair-step line between the metals and nonmetals have a metallic appearance but some nonmetallic properties. These elements are often called metalloids or semimetals. There is no general agreement on just which elements are so designated. Almost every list includes Si, Ge, As, Sb, and Te. Some also include B, Al, and/or Pb.


Ionic Bonds

- Once an ionic bond is formed, as in $\text{Na}^{+1} \text{--} \text{Cl}^{-1}$, the resulting molecule is highly polar.
- Polar molecules have positive and negative sides (like a north and south pole)
- In NaCl, an electron is said to have been completely transferred from Na to Cl creating a full dipole. (just like a bar magnet positive on one end and negative on the other)
- Dipoles attract each other very strongly and so NaCl molecules readily attach to each other to form giant three dimensional crystals.

The Amazing Properties of Water


- Polar Molecule
 - Uneven distribution of electrons between the 2 hydrogen atoms and the oxygen atom makes one region more negative and the other more positive.





Water is polar


- Because water is polar it will form Hydrogen bonds between molecules
- Hydrogen bonding occurs when an atom of hydrogen is attracted to two atoms instead of only one acting as a bond between them
- Typically H bonds form where the partially positively charged hydrogen atom lies between partially negatively charged oxygen or nitrogen atoms



While hydrogen bonds are relatively weak compared to other types of bonds, they are strong enough to give water many unique properties.

The reason ice floats is because of hydrogen bonding. In water's liquid form, hydrogen bonding pulls water molecules together. As a result, liquid water has a relatively compact, dense structure. As water freezes into ice, the molecules become frozen in place and begin to arrange themselves in a rigid lattice structure, as shown in the animation linked below.

The structure that forms in the solid ice crystal actually has large holes in it. Therefore, in a given volume of ice, there are fewer water molecules than in the same volume of liquid water. In other words, ice is less dense than liquid water and will float on the surface of the liquid. Throw in one really big chunk of ice and a cruise ship, and you begin to see the problems that can arise.




Liquid water contains by far the densest hydrogen bonding of any solvent with almost as many hydrogen bonds as there are covalent bonds.

Because of these attractive forces water will stick to itself (called cohesion) and stick to other surfaces (called adhesion)

Covalent Bonds


A water molecule is made up of two hydrogen atoms and one oxygen atom. Oxygen is in the 6th column of the periodic table so we know it has 6 electrons in its outermost shell.

To be balanced Oxygen needs to gain two electrons or lose six. Hydrogen needs to gain one electron to be balanced. Each hydrogen can form a covalent bond and share its electron. A covalent bond exists when two electrons are shared by two non-metallic atoms



dihydrogen monoxide

This animation is a schematic depiction of what happens in the formation of a covalent bond. The individual atoms are atoms of chlorine with only their valence electrons shown.



- Note that each chlorine atom has only seven valence electrons, but really wants eight.
- When each chlorine atom shares its unpaired electron, both atoms are tricked into thinking each has a full valence of eight electrons.
- Notice that the individual atoms have full freedom from each other, but once the bond is formed, energy is released, and the new chlorine molecule (Cl_2) behaves as a single particle.

Periodic Table of the Elements

Main-group elements: 1A, 2A, 3A, 4A, 5A, 6A, 7A, 8A

Metals (Yellow), Nonmetals (Purple), Noble gases (Grey)

| | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---------|---------|---------|---------------------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------------------|---------|--------|---------|--------|---------|---------|---------|---------|---------|--------|--------|--------|---------|
| 1 | 1A | 1 | 2 | Transition elements | | | | | | | | | | Main-group elements | | | | | | | | | | | | | |
| 1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | | | | | | | | | |
| 1 | H | He | Li | Be | B | C | N | O | F | Ne | Na | Mg | Al | Si | P | S | Cl | Ar | | | | | | | | | |
| 2 | 1.00794 | 4.00260 | 6.941 | 9.01218 | 10.811 | 12.011 | 14.0067 | 15.9994 | 18.9984 | 20.1797 | 22.9898 | 24.3050 | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 | | | | | | | | | |
| 3 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | |
| 3 | Na | Mg | Al | Si | P | S | Cl | Ar | K | Ca | Sc | Ti | V | Cr | Mn | Fe | Co | Ni | Cu | Zn | Ga | Ge | As | Se | Br | Kr | |
| 3 | 22.9898 | 24.3050 | 26.9815 | 28.0855 | 30.9738 | 32.066 | 35.4527 | 39.948 | 39.0983 | 40.078 | 44.9559 | 47.88 | 50.9415 | 51.9961 | 54.9381 | 55.847 | 58.9332 | 58.693 | 63.546 | 65.39 | 69.723 | 72.61 | 74.9216 | 78.96 | 79.904 | 83.80 | |
| 4 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | |
| 4 | Rb | Sr | Y | Zr | Nb | Mo | Tc | Ru | Rh | Pd | Ag | Cd | In | Sn | Sb | Te | I | Xe | Cs | Ba | *La | Ce | Pr | Nd | Pm | Sm | |
| 4 | 85.4678 | 87.62 | 88.9059 | 91.224 | 92.9064 | 95.94 | (98) | 101.07 | 102.906 | 106.42 | 107.868 | 112.411 | 114.818 | 118.710 | 121.76 | 127.60 | 126.904 | 131.29 | 132.905 | 137.327 | 138.906 | 140.115 | 140.908 | 144.24 | (145) | 150.36 | 151.965 |
| 5 | 87 | 88 | 89 | 104 | 105 | 106 | 107 | 108 | 109 | 110 | 111 | 112 | 114 | 116 | 118 | 120 | 122 | 124 | 126 | 128 | 130 | 132 | 134 | 136 | 138 | 140 | 142 |
| 5 | Fr | Ra | *Ac | Rf | Db | Sg | Bh | Hs | Mt | Ds | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| 5 | (223) | 226.025 | 227.028 | (261) | (262) | (263) | (262) | (265) | (266) | (281) | (272) | (285) | (289) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | (292) | |
| 6 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | |
| 6 | At | Tl | Pb | Bi | Po | At | Rn | Fr | Ra | *Ac | Rf | Db | Sg | Bh | Hs | Mt | Ds | ** | ** | ** | ** | ** | ** | ** | ** | ** | |
| 6 | (210) | (209) | (209) | (209) | (209) | (210) | (222) | (223) | (226) | (227) | (261) | (262) | (263) | (262) | (265) | (266) | (281) | (272) | (285) | (289) | (292) | (292) | (292) | (292) | (292) | (292) | |
| 7 | 113 | 114 | 115 | 116 | 117 | 118 | 119 | 120 | 121 | 122 | 123 | 124 | 125 | 126 | 127 | 128 | 129 | 130 | 131 | 132 | 133 | 134 | 135 | 136 | 137 | 138 | |
| 7 | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | Uu | |
| 7 | (113) | (114) | (115) | (116) | (117) | (118) | (119) | (120) | (121) | (122) | (123) | (124) | (125) | (126) | (127) | (128) | (129) | (130) | (131) | (132) | (133) | (134) | (135) | (136) | (137) | (138) | |

*Lanthanide series: Ce (140.115), Pr (140.908), Nd (144.24), Pm (145), Sm (150.36), Eu (151.965), Gd (157.25), Tb (158.925), Dy (162.50), Ho (164.930), Er (167.26), Tm (168.934), Yb (173.04), Lu (174.967)


†Actinide series: Th (232.038), Pa (231.036), U (238.029), Np (237.048), Pu (244), Am (243), Cm (247), Bk (247), Cf (251), Es (252), Fm (257), Md (258), No (259), Lr (260)

** Not yet named

Notes: (1) Values in parentheses are the mass numbers of the most common or most stable isotopes of radioactive elements. (2) Some elements adjacent to the stair-step line between the metals and nonmetals have a metallic appearance but some nonmetallic properties. These elements are often called metalloids or semimetals. There is no general agreement on just which elements are so designated. Almost every list includes Si, Ge, As, Sb, and Te. Some also include B, At, and/or Po.

Oxygen is Diatomic

- Each oxygen atom needs to gain 2 electrons to be balanced.
- Instead of bonding with two separate atoms it can form a double bond with another oxygen and form O₂.
- In a double bond two electrons are shared.
- O₂ is the most common form of oxygen because it is stable (balanced)



CARBON IS SPECIAL

- The key to carbon's versatility lies in its atomic structure
- Carbon has four unpaired electrons in the outermost energy level
- These multiple bonding sites enable it to form strong covalent bonds with as many as four other atoms.

| | | | | | | |
|----------------------|---------------------|-----------------------|-------------------|----------------------|-------------------|-----------------------------------|
| | | | | | | 18 helium 2 He 4.0026 |
| | | | | | | |
| boron 5 B | carbon 6 C | nitrogen 7 N | oxygen 8 O | fluorine 9 F | neon 10 Ne | |
| 10.811 | 12.011 | 14.007 | 15.999 | 18.998 | 20.180 | |
| aluminum 13 Al | silicon 14 Si | phosphorus 15 P | sulfur 16 S | chlorine 17 Cl | argon 18 Ar | |
| 26.982 | 28.086 | 30.974 | 32.065 | 35.453 | 39.948 | |
| calcium | zinc | gallium | cadmium | indium | tin | |

Carbon dioxide

- Carbon has 4 electrons so it needs to gain 4 more to be balanced.
- Oxygen has 6 and needs 2 electrons



What kind of bonds will Carbon and Oxygen make to form CO₂ ?



Carbon forms a double bond (Covalent bonds) with each oxygen atom. Carbon will share 2 electrons with each oxygen and each oxygen will share 2 of its electrons with carbon.

Types of Covalent Bonds

- (a) single bonds: in which a single pair of electrons, one from each atom, are shared, as in Cl_2 .
- (b) double bonds: in which two pairs of electrons are trapped between the nuclei, as in O_2 .
- (c) triple bonds: in which three pairs of electrons are trapped between the two nuclei, as in N_2 .


Glucose

- A monosaccharide sugar, $\text{C}_6\text{H}_{12}\text{O}_6$, occurs widely in most plant and animal tissue.
- It is the principal sugar circulating in the blood and the major source of energy in the body.



Carbohydrates are Sugars

- Carbohydrates are an example of a special kind of molecule called a POLYMER
- Polymers are molecules that are made up of repeating subunits
- Simple sugars (monosaccharides like glucose) can be bonded to each other to make polysaccharides (like starch)




Sweet but what does mine say?

- Sugars can exist in one of two forms: **linear** or **cyclic** (ring). Although we often draw them as linear structures, they quickly fold up into ring shaped molecules in water.
- Sugars are important not just for energy but also as a building material.
- Two 5-Carbon sugars: **ribose** , **deoxyribose** are found in RNA and DNA respectively.

Organic Molecules

- An organic compound is a member of a large class of chemical compounds whose molecules contain **carbon** and **hydrogen**
- Carbon oxides (like carbon dioxide) and elementary carbon are not organic compounds.

Methane is the simplest possible organic compound




Monosaccharides



Monosaccharides are the simplest form of carbohydrates.

Examples include glucose, fructose, and ribose.

Monosaccharides are the building blocks of disaccharides like sucrose (common sugar) and polysaccharides (such as cellulose and starch).





Glucose



Copyright © Pearson Education, Inc., publishing as Benjamin Cummings.


Dehydration Synthesis

Removing one molecule of water to bond 2 monomers together.



Hydrolysis


Polymers can be split back to their simple monomer form by adding water.



Copyright © Pearson Education, Inc., publishing as Benjamin Cummings.



Matter can not be created nor destroyed... but it can be recycled

- Carbon, Hydrogen and Oxygen are continuously being recombined by organisms to make the materials needed for life.
- **CHNOS**
- Energy, cannot be created or destroyed however energy can be converted from one form to another.
- If energy can not be created where does the energy on Earth come from?



Where does energy come from if it can't be created?

- Energy on Earth comes as solar radiation (sunlight),
- Some of energy in light is captured by green plants via photosynthesis and is trapped in the chemical bonds of a glucose molecule.
- When glucose is used in cellular respiration some of the energy trapped in the chemical bonds is transferred to ATP and the rest of the energy is lost as heat.



Science is a Process

- **Our understanding of the atom was developed over time with each scientist building on the work of those who came before them.**
- **In the next chapter we will look at the way that scientists work... a little something called the scientific method**

Matter and Molecules Review

- 1. Define matter.
- 2. Define mass.
- 3. Explain the difference between mass & weight.
- 4. Why do biologists study chemistry?
- 5. Define element.

Matter and Molecules Review

- 6. Name the 5 really important elements that make up most of the mass of living things. Give the symbol for each of these elements.
- 7. Anything that takes up space and has mass or weight is called
- 8. What do the columns of the periodic table tell you about the valence electrons of an element.
- 9. Define atom and tell whether they can be seen.
- 10. What is the center of an atom called & what 2 subatomic particles are found there?

Matter and Molecules Review

- 11. How does the charge of a proton differ from the charge of a neutron?
- 12. Where is most of the mass of an atom concentrated?
- 13. How is the atomic number of an element determined?
- 14. What is the charge on an electron?
- 15. Explain why the overall or net charge on an atom is zero.

Matter and Molecules Review

- 16. Where are electrons found in an atom & describe their movement?
- 17. In which energy levels do the electrons have more energy?
- 18. How many electrons can these energy levels hold --- a. first?
b. second?
- 19. Define compound and write a formula for water, carbon dioxide, & sodium chloride (table salt).
- 20. Do compounds have the same chemical properties as the elements that compose them?

Matter and Molecules Review

- 21. When would an atom be chemically stable (not react)?
- 22. What occurs in a chemical reaction?
- 23. What is a covalent bond?
- 24. Define molecule.
- 25. Give an example of a gas that exists as a molecule.

Matter and Molecules Review

- 26. Define ionic bond.
- 27. What is an ion?
- 28. Name a compound formed from --- a. covalent bonding?
b. ionic bonding?
- 29. If electrons are shared, a(n) _____ compound forms.
- 30. If electrons are transferred, a(n) _____ compound forms.
- 31. Forming ionic or covalent bonds helps make atoms more _____.

Carbon Review

- What is an organic compound?
- Besides carbon, name 3 other elements that make up most organic compounds.
- Carbon dioxide, CO_2 , is NOT an organic compound. Explain why.
- How many electrons are in the outermost energy level of carbon? How many does it need to have this energy level filled?
- How many covalent bonds can carbon form?
- How many electrons are being shared in a single covalent bond? double covalent bond? triple covalent bond? quadruple covalent bond?

Sugars

- What process creates sugars using atmospheric gas?
- What is the chemical formula of glucose?
- What forms a polysaccharide?
- Name a polysaccharide?

Carbon Compounds

